



General Assembly

February Session, 2008

***Amendment***

LCO No. 4931

\*SB0012304931SD0\*

Offered by:

SEN. MEYER, 12<sup>th</sup> Dist.

To: Subst. Senate Bill No. 123

File No. 151

Cal. No. 155

***"AN ACT PROHIBITING THE IDLING OF MOTOR VEHICLES."***

- 
- 1 In line 14, strike "twenty" and insert "thirty-two" in lieu thereof
  - 2 In line 23, strike "or"
  - 3 In line 24, strike "." and insert "," in lieu thereof
  - 4 After line 24 insert the following:
    - 5 "(10) When a motor vehicle is in a queue for weighing, loading or
    - 6 unloading freight; or
    - 7 (11) When a motor vehicle in livery service is waiting to discharge
    - 8 participants in a wedding or funeral."
  - 9 In line 29, after "(b)" insert "Any person who violates any provision
  - 10 of this section shall be charged a fee of fifteen dollars."
  - 11 After the last section, add the following and renumber sections and
  - 12 internal references accordingly:

13 "Sec. 501. Subsection (c) of section 51-164m of the general statutes is  
14 repealed and the following is substituted in lieu thereof (*Effective*  
15 *October 1, 2008*):

16 (c) No fine established in accordance with the provisions of  
17 subsection (a) of this section may be less than thirty-five dollars or in  
18 excess of ninety dollars, except that fines established for (1) parking tag  
19 violations, [and] (2) violations of subsection (c) of section 14-100a of the  
20 2008 supplement to the general statutes, and (3) violations of section 1  
21 of this act may be less than thirty-five dollars.

22 Sec. 502. Subsection (b) of section 14-267a of the 2008 supplement to  
23 the general statutes is repealed and the following is substituted in lieu  
24 thereof (*Effective October 1, 2008*):

25 (b) The axle weight on any axle and the gross weight of any vehicle  
26 or combination of vehicle and trailer or vehicle and semitrailer or any  
27 other object, including its load, may not exceed the manufacturer's axle  
28 weight rating, the gross vehicle weight rating or the following gross  
29 weight limits, except as provided in section 503 of this act: (1) A two-  
30 axle vehicle equipped with pneumatic tires, a gross weight of thirty-  
31 two thousand pounds; (2) a two-axle vehicle equipped with solid or  
32 pneumatic tires, the weight on any single axle not to exceed eighteen  
33 thousand pounds, a gross weight of thirty-six thousand pounds; (3) a  
34 three-axle vehicle equipped with pneumatic tires, the weight on any  
35 single axle not to exceed twenty-two thousand four hundred pounds  
36 or, in the case of axles spaced less than six feet apart, eighteen  
37 thousand pounds, gross vehicle weight of fifty-three thousand eight  
38 hundred pounds; (4) a three-axle combination of vehicle and trailer or  
39 vehicle and semitrailer, the weight on any single axle not to exceed  
40 twenty-two thousand four hundred pounds or, in the case of axles  
41 spaced less than six feet apart, eighteen thousand pounds, a gross  
42 vehicle weight of fifty-eight thousand four hundred pounds; (5) a four-  
43 or-more-axle vehicle or combination of vehicle and trailer or vehicle  
44 and semitrailer equipped with pneumatic tires, the weight on any  
45 single axle not to exceed twenty-two thousand four hundred pounds

46 or, in the case of axles spaced less than six feet apart, eighteen  
 47 thousand pounds, a gross vehicle weight of sixty-seven thousand four  
 48 hundred pounds; (6) a four-or-more-axle vehicle or combination of  
 49 vehicle and trailer or vehicle and semitrailer where the distance  
 50 between the first and last axle is not less than twenty-eight feet, the  
 51 weight on any single axle not to exceed twenty-two thousand four  
 52 hundred pounds or, in the case of axles spaced less than six feet apart,  
 53 eighteen thousand pounds, a gross vehicle weight of seventy-three  
 54 thousand pounds, provided in no event shall the gross vehicle weight  
 55 exceed seventy-three thousand pounds; (7) the gross vehicle weight of  
 56 a bulk milk pickup tanker shall not exceed ninety-nine thousand  
 57 pounds, provided the weight of the bulk milk pickup tanker is  
 58 permitted under the federal-aid highway amendments of 1974, 88 Stat.  
 59 2281, 23 USC 101 et seq., as amended from time to time; [.] and (8)  
 60 notwithstanding the provisions of this subsection and subsection (e) of  
 61 this section, a vehicle or combination of vehicle and semitrailer  
 62 equipped with pneumatic tires may be operated on any highway or  
 63 bridge without a written permit, provided the weight on any single  
 64 axle does not exceed twenty-two thousand four hundred pounds or, in  
 65 the case of axles spaced less than six feet apart, eighteen thousand  
 66 pounds, and provided such vehicle or combination is in compliance  
 67 with the federal-aid highway amendments of 1974, 88 Stat. 2281, 23  
 68 USC 101 et seq., as amended from time to time, including the gross  
 69 vehicle weight limit of eighty thousand pounds and the following  
 70 weight distribution formula:

$$\begin{array}{l}
 \text{T1} \\
 \text{T2} \\
 \text{T3}
 \end{array}
 \quad
 W = 500 \left( \left( \frac{LN}{N-1} \right) + 12N + 36 \right)$$

71 Where W = overall gross weight on any group of two or more  
 72 consecutive axles to the nearest five hundred pounds, L = distance in  
 73 feet between the extreme of any group of two or more consecutive

74 axles, and N = number of axles in group under consideration, except  
75 that two consecutive sets of tandem axles may carry a gross load of  
76 sixty-eight thousand pounds, provided the overall distance between  
77 the first and last axles of such consecutive sets of tandem axles is  
78 thirty-six feet or more.

79 Sec. 503. (NEW) (*Effective October 1, 2008*) (a) For purposes of this  
80 section, "idle reduction technology" means any device or system that is  
81 installed on a diesel-powered truck or truck tractor for the purpose of  
82 providing services such as heat, air conditioning or electricity while  
83 the truck or truck tractor is parked or stationary, without requiring the  
84 operation of the main engine, and "truck" and "truck tractor" shall have  
85 the same meaning as in section 14-1 of the 2008 supplement to the  
86 general statutes.

87 (b) The maximum gross weight limit and axle weight limit  
88 established in section 14-267a of the 2008 supplement to the general  
89 statutes, as amended by this act, may be increased for any truck or  
90 truck tractor equipped with idle reduction technology in an amount  
91 equivalent to the additional weight of such technology, but in no case  
92 shall such increase exceed four hundred pounds.

93 (c) To qualify for the additional weight increase as provided in  
94 subsection (b) of this section, the operator of the truck or truck tractor  
95 shall provide the following information to a law enforcement officer  
96 upon request: (1) A written certification of the weight of the idle  
97 reduction technology, and (2) a demonstration or certification that the  
98 idle reduction technology is fully functional at all times."